

Section 1. Product and Company Identification	
Product Name	BRASSO® POLISH FOR BRASS, COPPER & CHROME - CANADIAN
Product Description	Metal polish.
Manufacturer	Reckitt Benckiser (Canada) Inc. 2 Wickman Road Toronto, Ontario M8Z 5M5
Product Identifier	Not available.
Item Number	56200-01040-03
Formula Number	890432
UPC Number	56200-00049 (142 ml), 56200-00308 (455 ml), 56200-01040 (4 L), 56200-47021 (8 oz.), 56200-47022 (128 oz.).

MSDS#	Not available.
Validation Date	2/24/2005
Print Date	3/30/2005
In case of Emergency:	Telephone: 800-888-0192
Transportation Emergencies:	Chemtrec: 1-800-424-9300 (U.S. & Canada)
	Outside the U.S & Canada (North America), call: 703-527-3887

Section 2. Composition and Information on Ingredients			
Name	CAS #	% by Weight	Exposure Limits : TLV/PEL
1) PETROLEUM DISTILLATE (STODDARD SOLVENT)	8052-41-3	60-70	TWA: 525 (mg/m ³) from ACGIH (TLV) [United States] TWA: 100 (ppm) from ACGIH (TLV) [United States] TWA: 2900 (mg/m ³) from OSHA (PEL) [United States] TWA: 500 (ppm) from OSHA (PEL) [United States]
2) SILICA, CRYSTALLINE	14808-60-7	9-12	TWA: 0.1 (mg/m ³) from ACGIH (TLV) [United States] Respirable. TWA: 0.3 (mg/m ³) from OSHA (PEL) [United States] Respirable.
3) AMMONIUM HYDROXIDE	1336-21-6	2-3	Not available.

Section 3. Hazards Identification	
Emergency Overview	DANGER: Harmful or fatal if swallowed. Combustible liquid. Keep away from heat, sparks or open flame. KEEP OUT OF REACH OF CHILDREN.

Section 4. First Aid Measures	
Eye Contact	Immediately flush eyes thoroughly with water, remove any contact lenses and continue to flush eyes with plenty of water for at least 15 minutes. If irritation persists, call a physician or Poison Control Centre.
Skin Contact	Immediately wash with plenty of soap and water. If irritation persists call a physician.
Inhalation	If breathing is affected, get fresh air immediately. Seek medical attention.
Ingestion	Contains petroleum distillates. DO NOT induce vomiting. If victim can swallow, give one glass of water to drink and call a poison control centre or doctor IMMEDIATELY. NEVER give an unconscious person anything to ingest.

Section 5. Fire and Explosion Data

Flammability	See Section 14 for any Shipping Classifications.
Flash Point	CLOSED CUP: 40.556°C (105°F). (Setaflash.).
Explosive Limits in Air	Not available.
Products of Combustion	Not available.
Fire and Explosion Hazards	Carbon monoxide, carbon dioxide and other unknown organic compounds.
Fire Fighting Media and Instructions	Use DRY chemicals, CO2, water spray or foam.
Special Fire Fighting Instructions	Wear self-contained breathing apparatus and full protective clothing appropriate for fighting a chemical fire.

Section 6. Accidental Release Measures

Accidental Spill	Small spills: Soak up with an inert absorbent material and dispose of in an appropriate waste container. Rinse surface residue and flush to sink or sanitary sewer. Large spills should be diked, contained and collected for later disposal according to local, provincial or federal regulations.
-------------------------	--

Section 7. Handling and Storage

Handling and Storage	DANGER: HARMFUL OR FATAL IF SWALLOWED. COMBUSTIBLE LIQUID. Contains petroleum distillate. Store away from heat, flame and sources of ignition. Store at ambient temperature. Keep container closed when not in use. Store in original container in a secure area, inaccessible to children and pets. KEEP OUT OF REACH OF CHILDREN.
-----------------------------	--

Section 8. Exposure Controls/Personal Protection

Ventilation Requirements	Use with adequate ventilation.
Eye Protection	Wear eye protection. Emergency responders should wear full eye and face protection.
Skin Protection	Wear impervious rubber gloves if prolonged skin contact is possible. Emergency responders should wear impermeable gloves.
Respiratory Protection	None required for normal recommended use, avoid prolonged breathing of vapors. A self contained breathing apparatus (SCBA) should be used by emergency responders to avoid inhalation of the vapors which may be generated by this product during spill clean-up or fire situations.
Other Protection	None required under normal use conditions. Emergency responders should wear impermeable clothing and footwear when responding to a situation where contact with the liquid is possible.
Work/Hygienic Practices	Wash thoroughly with soap and water after handling.

Section 9. Physical and Chemical Properties

Description	Viscous liquid. Opaque liquid.	Odor	Ammoniacal. Ammoniacal.
pH	Not applicable.	Color	Beige to Tan. (Light.)
Boiling/Condensation Point	82.22 - 93.33° C (180 - 200° F)		
Specific Gravity	0.97 (Water = 1)		
Vapor Pressure	Not available.		

Continued on Next Page

Vapor Density	Not available.
Viscosity	Not available.
Solubility	Insoluble.
Physical Chemical Comments	Not available.

Section 10. Stability and Reactivity Data

Chemical Stability	The product is stable.
Conditions of Instability	Store away from heat, flame and sources of ignition. Store at ambient temperatures (40-80° F).
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	None known.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Exposure effects

Eye Contact	Eye irritant.
Skin Contact	Prolonged contact may cause skin irritation.
Inhalation	May cause respiratory irritation, headache, dizziness, nausea, stupor on prolonged exposure to vapours.
Ingestion	Harmful or fatal if swallowed. May cause local irritation, vomiting, diarrhea, drowsiness, rapid breathing if ingested. Aspiration may occur.
Carcinogenicity	Respirable crystalline silica is designated as an IARC Group 1 carcinogen, NTP suspect carcinogen and OSHA suspect carcinogen. However, the silica present in this product is not in a respirable form, when used according to label directions.

Section 12. Ecological Information

Ecotoxicity	Not available.
--------------------	----------------

Section 13. Disposal Considerations

Waste Disposal	The disposal of the product must be made in accordance with provincial and federal regulations.
-----------------------	---

Section 14. Transport Information

DOT Classification	Not regulated by DOT (United States) - Road or Rail only.	
Proper Shipping Name	Not applicable.	
DOT Identification Number	Not applicable	
Packing Group	Not applicable	
Maritime Transportation	Not applicable.	
Hazardous Substances Reportable Quantity	Not applicable.	


Continued on Next Page

Special Provisions for Transport	For North American shipments ONLY: Per 49 CFR 173.150 (f)(2)(3) & TDG Part 2.17.2, & 23.2 - flammable liquid with a flash point at or above 38°C (100°F) that doesn't meet the definition of any other hazard class may be reclassified as a combustible liquid. Therefore, any non-bulk packaging containing a reclassified flammable may be shipped as non-hazardous.
TDG Classification	Not regulated by TDG (Road or Rail only).
ADR Classification	Not applicable.
IMDG Classification	Flammable liquid, N.O.S. (Contains Stoddard Solvent), Class 3, UN1993, PG III, Limited Quantity.
IATA Classification	56200-00049 - ONLY: Flammable liquid, n.o.s. (contains Stoddard Solvent) Class 3, UN1993, III - Limited. Quantity. 56200-00308 (455 ml.); 56200-01040 (4 L.); 56200-47201 (8 oz.); 56200-47022 (128 oz.) DO NOT SHIP: Packaging does not meet IATA requirements.

Section 15. Regulatory Information

Federal and State Regulations	SARA Title III, Section 313 Toxic Chemical Notification & Release Reporting: None California Proposition 65: This product contains the following ingredients which require a warning under the Safe Drinking Water & Toxic Enforcement Act: 1) SILICA, CRYSTALLINE		
	CAS #: 14808-60-7	9-12	%
Other Classifications	WHMIS (Canada)	CLASS B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).	

Section 16. Other Information

HMIS (U.S.A.)	<table border="1"> <tr> <td>Health Hazard</td> <td>1</td> </tr> <tr> <td>Fire Hazard</td> <td>2</td> </tr> <tr> <td>Reactivity</td> <td>0</td> </tr> <tr> <td>Personal Protection</td> <td>D</td> </tr> </table>	Health Hazard	1	Fire Hazard	2	Reactivity	0	Personal Protection	D	National Fire Protection Association (U.S.A.)	
Health Hazard	1										
Fire Hazard	2										
Reactivity	0										
Personal Protection	D										
	NFPA Aerosol Level	Not applicable.									
Validated by Product Safety on 2/24/2005.		Printed 3/30/2005.									

Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.